



*Receipt*

**RYAN KROMHOLZ & MANION, S.C.**  
ATTORNEYS AT LAW

Daniel D. Ryan  
Joseph A. Kromholz  
John M. Manion  
Laura A. Dable  
Daniel R. Johnson  
Patricia A. Limbach  
Patrick J. Fleis  
Melissa S. Hockersmith  
Thomas J. Krumenacher

Telephone: (262) 783-1300  
Facsimile: (262) 783-1211  
Toll Free: (800) 686-9333

Est. 1873

Mailing Address:  
P.O. Box 26616  
Milwaukee, WI 53226-0616

Building Address:  
3360 Gateway Road  
Brookfield, WI 53045

Fond du Lac Office  
104 S. Main Street, Suite 501  
Fond du Lac, WI 54935

Arnold J. Ericson (Of Counsel)  
Donald Cayen (Of Counsel)

Date: 14 March 2005

Coversheet + 3 Pages

RECIPIENT:

FACSIMILE NO.:

Office of Initial Patent Examination's  
Filing Receipt Corrections

703 308 7749

Regarding: Patent Application

Title: Transport Pump and Organ Stabilization Apparatus Including  
Related Methods

Serial No.: 09/462,656

Applicant: A-Med Systems, Inc.

Docket No.: 9261.16761-CIP 2 PCT US

Comments: Please see attached SECOND REQUEST FOR CORRECTED FILING  
RECEIPT.

From: Patricia A. Limbach  
RYAN KROMHOLZ & MANION, S.C.

RECEIVED  
MAR 25 2005  
OIPE/JCWS

Best Available Copy

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS INTENDED FOR THE PERSONAL AND CONFIDENTIAL USE OF THE DESIGNATED RECIPIENTS NAMED ABOVE. This message may be an attorney-client communication, and as such is privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error, and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us by mail. Thank you.



Customer No. 26308

Patent

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of : Aboul-Hosn  
Serial No. : 09/462,656  
Filed : 11 January 2000  
For : Transport Pump and Organ Stabilization Apparatus Including Related Methods

Examiner: Snow, Bruce Edward  
Group Art Unit: 3738

**SECOND REQUEST FOR CORRECTED FILING RECEIPT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Enclosed is a copy of the official filing receipt issued in the above matter.

Applicant requests the Patent Office to issue a new, corrected Filing Receipt in the above matter as follows:

This application is a 371 of PCT/US97/18674, filed 14 October 1997, which is a continuation-in-part of application Serial No. 08/933,566, filed 19 September 1997, which is a continuation-in-part of application Serial No. 08/891,456, filed 11 July 1997.

Please issue a corrected filing receipt bearing the corrected information as outlined above. Should any fees be due in connection with this matter, please charge Deposit Account No. 06-2360.

Respectfully submitted,

By Patricia A. Limbach  
Patricia A. Limbach, Reg. No. 50,295

RYAN KROMHOLZ & MANION, S.C.  
P.O. Box 26618  
Milwaukee, Wisconsin 53226  
(262) 783 - 1300  
14 March 2005

APPROVED BY SYSTEMS/SP114781-017 2 PCT (A/US) 18674 SECOND REQUEST FOR CORRECTED FILING RECEIPT


Enclosure

Best Available Co

## FILING RECEIPT



\*OC00000004996992\*

UNITED STATES DEPARTMENT OF  
COMMERCE  
Patent and Trademark OfficeAddress: ASSISTANT SECRETARY AND  
COMMISSIONER OF PATENT AND TRADEMARKS  
Washington, D.C. 20231

*[Handwritten signature]*

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/462,656	01/14/2000	3735	927	9261.16761-PCTUS	-	46	10

DANIEL D RYAN  
RYAN KROMHOLZ & MANION  
POST OFFICE BOX 26618  
MILWAUKEE, WI 53226

Date Mailed: 03/17/2000

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the PTO processes the reply to the Notice, the PTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

WALID N ABOUL-HOSN, SACRAMENTO, CA UNITED STATES;

## Continuing Data as Claimed by Applicant

THIS APPLICATION IS A 371 OF PCT/US97/18674 10/14/1997

## Foreign Applications

If Required, Foreign Filing License Granted 03/17/2000

## Title

TRANSPORT PUMP AND ORGAN STABILIZATION APPARATUS INCLUDING RELATED METHODS


## Preliminary Class

604

Data entry by : BARRETO, NGA

Team : OIPE

Date: 03/17/2000



RYAN KROMHOLZ &amp; MANION S.C.

**LICENSE FOR FOREIGN FILING UNDER  
Title 35, United States Code, Section 184  
Title 37, Code of Federal Regulations, 5.11 & 5.15**

**GRANTED**

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 36 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

**NOT GRANTED**

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

**PLEASE NOTE the following information about the Filing Receipt:**

- The articles such as "a," "an" and "the" are not included as the first words in the title of an application. They are considered to be unnecessary to the understanding of the title.
- The words "new," "improved," "improvements in" or "relating to" are not included as first words in the title of an application because a patent application, by nature, is a new idea or improvement.
- The title may be truncated if it consists of more than 600 characters (letters and spaces combined).
- The docket number allows a maximum of 25 characters.
- If your application was submitted under 37 CFR 1.10, your filing date should be the "date in" found on the Express Mail label. If there is a discrepancy, you should submit a request for a corrected Filing Receipt along with a copy of the Express Mail label showing the "date in."

Any corrections that may need to be done to your Filing Receipt should be directed to:

Assistant Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, DC 20231